



Product Service

EC-Attestation of Conformity

No. N8 09 08 70791 003

Holder of Certificate: **JIANGSU BEST SOLAR HIGH-TECH CO., LTD**

No.1368, Wuzhong Road, Wuzhong District
215104 Suzhou, Jiangsu
PEOPLE'S REPUBLIC OF CHINA

Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Poly-crystalline Silicon Photovoltaic module**

This EC-Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2006/95/EC relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 704060909502-00

Date, 2009-08-04



CE After preparation of the necessary technical documentation as well as the conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 2



Product Service

EC-Attestation of Conformity
No. N8 09 08 70791 003

Model(s): BEST-280P-24, BEST-270P-24, BEST-260P-24,
 BEST-250P-24, BEST-240P-24, BEST-240P-20,
 BEST-230P-20, BEST-220P-20, BEST-210P-20,
 BEST-200P-20, BEST-210P-18, BEST-200P-18,
 BEST-190P-18, BEST-180P-18

Parameters:	Model:	BEST-280P-24, BEST-270P-24,
	Rated output power at STC:	280W, 270W,
	Model:	BEST-260P-24, BEST-250P-24,
	Rated output power at STC:	260W, 250W,
	Model:	BEST-240P-24, BEST-240P-20,
	Rated output power at STC:	240W, 240W,
	Model:	BEST-230P-20, BEST-220P-20,
	Rated output power at STC:	230W, 220W,
	Model:	BEST-210P-20, BEST-200P-20,
	Rated output power at STC:	210W, 200W,
	Model:	BEST-210P-18, BEST-200P-18,
	Rated output power at STC:	210W, 200W,
	Model:	BEST-190P-18, BEST-180P-18
	Rated output power at STC:	190W, 180W
	Application class:	Class A
	Max. System voltage:	1000V DC
	Test laboratory:	Euro Test Laboratori S.r.l Via dell'Industria, 188 35020 BRUGINE (PD) Italy
	Construction:	Framed with Junction box, cable and connector.

Tested according to: EN 61215:2005
 EN 61730-1:2007
 EN 61730-2:2007

Page 2 of 2



Product Service

Attestation of Conformity

No. N8 09 08 70791 004

Holder of Certificate: JIANGSU BEST SOLAR HIGH-TECH
CO., LTD

No.1368, Wuzhong Road, Wuzhong District
215104 Suzhou, Jiangsu
PEOPLE'S REPUBLIC OF CHINA

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Mono-crystalline Silicon Photovoltaic module

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2006/95/EC relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 704060909501-01

Date, 2009-08-13



After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 2



Attestation of Conformity
No. N8 09 08 70791 004

Model(s): BEST-240D-20, BEST-230D-20, BEST-220D-20,
 BEST-210D-20, BEST-200D-20, BEST-190D-24,
 BEST-185D-24, BEST-180D-24, BEST-175D-24,
 BEST-170D-24, BEST-165D-24, BEST-160D-24

Parameters:

Model:	BEST-240D-20, BEST-230D-20,
Rated output power at STC:	240W, 230W,
Model:	BEST-220D-20, BEST-210D-20,
Rated output power at STC:	220W, 210W,
Model:	BEST-200D-20, BEST-190D-24,
Rated output power at STC:	200W, 190W,
Model:	BEST-185D-24, BEST-180D-24,
Rated output power at STC:	185W, 180W,
Model:	BEST-175D-24, BEST-170D-24,
Rated output power at STC:	175W, 170W,
Model:	BEST-165D-24, BEST-160D-24
Rated output power at STC:	165W, 160W
Application class:	Class A
Max. System voltage:	1000V DC
Test laboratory:	Euro Test Laboratori S.r.l Via dell'Industria, 188 35020 BRUGINE (PD) Italy
Construction:	Framed with Junction box, cable and connector.
Remark:	(*)Fire Test MST 23 was not performed.

Tested according to: EN 61215:2005
 EN 61730-1:2007
 EN 61730-2:2007